Lockers - Classic





Introduction

The Classic locker features an all steel construction with a fully powder coated scratch resistant finish. There are five standard door options and two standard widths available. They feature ventilation slots and sloping tops are available. Doors are fully lockable with three locking systems available: cam locks, latch locks and flush locks. Three point locking is fitted as standard on the single tier locker.

Features

- Uniform look when banked together
- Perforations provide ventilation
- Shelves, coat hooks, coat rails and reinforced doors available for all sizes
- Optional sloping tops and benches available
- Doors with 180 degree opening angle
- 2000 lock combinations available
- All doors have card holders
- 10 year warranty

Technical specifications

ght	1800
th	300, 375 mm
th	457 mm
figurations oor	1- 4 Doors, 2 Stepped Door
anks A	Single, Double and Triple Banks Iternatively Bank Lockers on site to your desired configuration
king Mechanism ocking Options	– Latchlock – Cam (key) lock – Three Point Locking
essories	
Гier	– Mirror and coat rail– Mirrors and coat rails– Coat rail
Aking Mechanism ocking Options essories	Iternatively Bank Lockers on si to your desired configuration - Latchloo - Cam (key) loo - Three Point Lockin - Mirror and coat ra

Lockers - Classic



Technical specifications


Code	Height	Width	Depth
1 tier locker			
175550	1800mm	300mm	457mm
175550L	1800mm	300mm	457mm
175550/2	1800mm	600mm	457mm
175550/3	1800mm	900mm	457mm
175550/4	1800mm	1200mm	457mm
175550L/2	1800mm	600mm	457mm
175550L/3	1800mm	900mm	457mm
175550L/4	1800mm	1200mm	457mm
175553	1800mm	375mm	457mm
175553L	1800mm	375mm	457mm
175553/2	1800mm	750mm	457mm
175553/3	1800mm	1125mm	457mm
175553L/2	1800mm	750mm	457mm
175553L/3	1800mm	1125mm	457mm
2 tier locker			
175551	1800mm	300mm	457mm
175551L	1800mm	300mm	457mm
175551/2	1800mm	600mm	457mm
175551/3	1800mm	900mm	457mm
175551/4	1800mm	1200mm	457mm
175551L/2	1800mm	600mm	457mm
175551L/3	1800mm	900mm	457mm
175551L/4	1800mm	1200mm	457mm
175554	1800mm	375mm	457mm
175554L	1800mm	375mm	457mm
175554/2	1800mm	750mm	457mm
175554/3	1800mm	1125mm	457mm
175554L/2	1800mm	750mm	457mm
175554L/3	1800mm	1125mm	457mm
3 tier locker			
175518	1800mm	300mm	457mm
175518L	1800mm	300mm	457mm
175521	1800mm	375mm	457mm
175521L	1800mm	375mm	457mm
175518/2	1800mm	600mm	457mm
175518L/2	1800mm	600mm	457mm
175521/2	1800mm	750mm	457mm
175521L/2	1800mm	750mm	457mm
175518/3	1800mm	900mm	457mm
175518L/3	1800mm	900mm	457mm
175521/3	1800mm	1125mm	457mm
175521L/3	1800mm	1125mm	457mm


Code	Height	Width	Depth
4 tier locker			
175552	1800mm	300mm	457mm
175552L	1800mm	300mm	457mm
175552/2	1800mm	600mm	457mm
175552/3	1800mm	900mm	457mm
175552/4	1800mm	1200mm	457mm
175552L/2	1800mm	600mm	457mm
175552L/3	1800mm	900mm	457mm
175552L/4	1800mm	1200mm	457mm
175555	1800mm	375mm	457mm
175555L	1800mm	375mm	457mm
175555/2	1800mm	750mm	457mm
175555/3	1800mm	1125mm	457mm
175555L/2	1800mm	750mm	457mm
175555L/3	1800mm	1125mm	457mm
2 step locker			
175556	1800mm	375mm	457mm
175556L	1800mm	375mm	457mm
175556/2	1800mm	750mm	457mm
175556/3	1800mm	1125mm	457mm
175556L/2	1800mm	750mm	457mm
175556L/3	1800mm	1125mm	457mm
Standard Colours			Silver Grey Deep Sea Midnight Blue

Deep Sea
Midnight Blue*
High Voltage
Oyster Grey
Flame Red
River Gum
Dune
White Satin*
Black Matt
Silver Comet




Configurations - 300mm lockers








Configurations - 300mm lockers







3 tier lockers



Configurations - 300mm lockers







Configurations - 300mm lockers

